

Sciences' Hospital on a day on the eighth floor operation theatres are more than the number of beds in the Recovery room. However, all patients under observation are provided beds in the Recovery room. Some patients after minor operative procedures are placed on Operation Theatre trollies for a short period till they are sent back to the wards or to their homes.

(b) A minor operation theatre is being established on the fifth floor with its own Recovery room. This will take on some patient load from the eighth floor Recovery area. The Institute is also making some changes in the existing building structure to augment the Recovery room and intensive care facilities.

(c) No such instance has come to the notice of the AIIMS authorities.

Central School at Trichur

4375. SHRI P. A. ANTONY : Will the Minister of EDUCATION be pleased to state :

(a) whether Trichur, the cultural capital of Kerala, has no Central School;

(b) whether there is any proposal to open a Central School in Trichur;

(c) if so, the details thereof; and

(d) if not, the reasons therefor ?

THE MINISTER OF EDUCATION (SHRI K. C. PANT) : (a) There is no Kendriya Vidyalaya (Central School) at Trichur.

(b) to (d). Proposals for opening a Kendriya Vidyalaya are considered by Kendriya Vidyalaya Sangathan when received from an appropriate sponsoring authority in the prescribed manner and requisite physical facilities like land, temporary accommodation to house the classes, etc. etc., are made available. No such proposal in respect of Trichur has been received by Kendriya Vidyalaya Sangathan.

Diesel Generating Sets for Improving Train Lighting in Trains

4376. SHRI S. M. BHATTAM : Will

the Minister of RAILWAYS be pleased to state :

(a) whether the Research, Designs and Standards Organisation (R.D.S.O.) Lucknow has recommended for installation of three diesel generating sets including standby sets for improving lighting in trains and to effect economy in expenditure;

(b) if so, the number of trains provided with one diesel generating set instead of three, division-wise, and the reasons therefor;

(c) the number of untrained and trained employees engaged for operation of diesel generating sets, separately;

(d) the number of untrained employees punished for failure; and

(e) the number of mid-on-generation trains ran in darkness division-wise ?

THE MINISTER OF STATE IN THE MINISTRY OF RAILWAYS (SHRI MADHAVRAO SCINDIA) : (a) Yes, Sir. R.D.S.O. had initially recommended use of 3 diesel generating sets in each Power Car. This has since been reviewed and only 2 diesel generating sets including standby requirements are now recommended. The Mid-on-Generation system using Diesel Generating sets is recommended not as a measure of economy but on considerations of operating conditions in different regions and services in certain trains.

(b) 82 rakes are provided with one diesel generating sets; 28 on Eastern Railway and 54 on Northern Eastern Railway. The division-wise break-up for rakes provided with one diesel generating set is as under :

Eastern Railway

Division	No. of Rakes
Howrah	3
Sealdah	4
Dhanbad	6
Asansol	4
Danapur	9
Moghalsarai	2
Total	28