

(In MMU)

Name of the company	Name of the drug	Installed capacity	Production		
			1982-83	1983-84	1984-85
I.D.P.L.	Pottasium Penicillin	230	92.7	123.1	129.4
H.A.L.	Penicillin First Crystals	200	104	119	153

(c) There is scope for improving the capacity utilisation and bringing down the costs of production.

(d) Attempts are being made to improve productivity.

#### Telephone Exchanges in Mallapuram District of Kerala

3221. SHRI G. M. BANATWALLA : Will the Minister of COMMUNICATIONS be pleased to state :

(a) the number of telephone exchanges in Mallapuram district of Kerala and the names of places where those are situated, indicating whether they are across-bar or electronic exchanges ;

(b) the number of telephones attached to each exchange ;

(c) in view of the fact that no lines are available for new connections, the details of steps taken by Government to install additional exchanges and/or expand the existing ones ; and

(d) the details of steps being taken to improve the telephone facility in Mallapuram district including details of any proposal for upgradation of existing telephone system and conversion of cross-bar exchanges into electronic exchanges ?

THE MINISTER OF STATE OF THE MINISTRY OF COMMUNICATIONS (SHRI RAM NIWAS MIRDHA) : (a) The information is given in Statement-I below.

(b) The information is given in the Statement-I below.

(c) and (d) The information is given in the Statement-II below.

#### Statement-I

*The number of telephone exchanges in Malapuram District is 42. The details regarding names of places, type of exchange and the number of telephones attached to each one is as under :*

Sl. No.	Name of place where exchange is located	Type of exchange	Equipped capacity	Working connections	Waiting list
1	2	3	4	5	6
1.	Anamangad	MAX-III	35	30	22
2.	Arekode	-do-	90	63	51
3.	Changaramkulam	-do-	90	82	67
4.	Chelari	CBNM	150	137	33
5.	Edakara	MAX-III	90	90	59
6.	Edapall	-do-	100	93	59
7.	Edavanama	-do-	90	62	46
8.	Edavanapara	-do-	35	31	17
9.	Kadampuzha	-do-	90	69	42

1	2	3	4	5	6
10.	Kalikavu	MAX-III	35	33	15
11.	Kalapakan cherry	-do-	90	90	204
12.	Karuvarukundu	-do-	90	81	29
13.	Koathoor	-do-	35	26	27
14.	Kondotty	-do-	100	92	114
15.	Kottakkal	-do-	100	93	162
16.	Kutti puram	-do-	100	94	88
17.	Malapuram	MAX-II	300	294	117
18.	Makkarapparamba	MAX-III	90	81	27
19.	Mangalam	-do-	90	65	71
20.	Manjeri	MAX-II	400	390	227
21.	Mankada	MAX-III	35	32	14
22.	Melathoor	-do-	35	29	17
23.	Maranchery	-do-	90	88	132
24.	Nilambur	MAX-II	200	198	89
25.	Palapetty	MAX-III	35	26	43
26.	Pandikkal	-do-	35	29	11
27.	Parappanangadi	-do-	100	92	108
28.	Perinthalmanna	MAX-II	400	396	128
29.	Pounani	CBNM	250	245	109
30.	Pukkottumpadam	MAX-III	45	35	28
31.	Pulamanthole	-do-	45	43	43
32.	Puzhakkathi	-do-	25	24	26
33.	Tanur	-do-	100	92	153
34.	Tavanur	-do-	45	44	25
35.	Thazhaekode	-do-	25	25	8
36.	Tirunavaya	-do-	90	90	44
37.	Tirurangad	CBNM	250	235	64
38.	Tirur	MAX-II	600	594	433
39.	Valancherry	MAX-III	100	94	126
40.	Valuvambram	-do-	90	71	63
41.	Vengara	-do-	100	95	227
42.	Vandoor	-do-	90	90	101

Note : There are no Crossbar and electronic exchanges in the Distt.

Abbreviation used :—MAX—Main Automatic Exchange.

CBNM—Central Battery Non-Multiple.

#### Statement-II

(a) to (d) Details of proposals undertaken or likely to be undertaken:

A : New exchanges opened during 1985-86 :

(a) Palapetty 35-lines.

(b) Puzhakkathi 25-lines.

**B :** Expansions done during 1985-86 :

- (a) Kadampuzha from 35 to 90 lines.
- (b) Valuvambram from 45 to 90 lines.

**C :** Expansions likely to be done during rest of 1985-86 :

- (a) Tirur 600 to 700 lines
- (b) Kooranchund 35 to 90 lines
- (c) Pulamanthole 45 to 90 lines
- (d) Pookkottupadam 45 to 90 lines
- (e) Thazhekodi 25 to 35 lines
- (f) Automatisation of Chellary manual exchange.

**D :** In addition following works will also be taken up subject to the availability of equipment, store and resources during 7th Plan.

1. Commissioning of (i) Edapal 200 MAX-II
2. Kuttipuram 200 MAX-II
3. Marancherry 200 MAX-II
4. Tanur 200 MAX-II
5. Alancherry 200 MAX-II
6. Vengara 200 MAX-II
7. Malapuram 300-400 expansion.
8. Manjeri 400-500 expansion.
9. Nilambur 200-300 expansion.
10. Perinthalmanna 400-500 expansion.
11. Tirur 600-800 expansion.
12. Conversion of Ponnani exchange into 300-lines MAX-II.
13. Tirurangadi 250-400 expansion.
14. Chelari 300 MAX-II.
15. Kottakkal 200 MAX-II.

**E :** Installation of Calicut-Palghat and Calicut-Tirur Coaxial system are in progress and is proposed to be completed during 7th Plan.

**Appointment of additional staff in  
Tirupur Telephone Exchange in Coimbatore  
(Tamil Nadu)**

3222. SHRI C. K. KUPPUSWAMY :  
Will the Minister of COMMUNICATIONS  
be pleased to state :

(a) whether Government are aware that although 2000 new telephone connections have been sanctioned to Tirupur, Coimbatore District, no additional staff has been employed to attend the expanded telephone exchange ;

(b) the reasons for not employing additional staff at the Tirupur exchange ?

(c) whether Government propose to employ additional staff in the near future at Tirupur Telephone Exchange ; and

(d) if so, the details thereof ?

THE MINISTER OF STATE OF THE  
MINISTRY OF COMMUNICATIONS  
(SHRI RAM NIWAS MIRDHA) : (a)  
Additional staff to the extent necessary are redeployed from amongst the existing staff to attend the expanded Tirupur exchange in Coimbatore District.

(b) to (d) Does not arise in view of  
(a) above.

**Losses in Hindustan Antibiotics Ltd.**

3223. SHRI MOOL CHAND  
DAGA : Will the Minister of INDUSTRY  
be pleased to state :