

utilisable water resources is 1140 cubic kilometres of which about 552 cubic kilometres is being presently utilised. Leaving 588 cubic kilometres of utilisable water as unutilised. Studies and surveys for the purpose are undertaken regularly.

### **Pay Phones to Scheduled Tribes in Bihar**

4093. SHRI SHIBU SOREN: Will the Minister of COMMUNICATION be pleased to state:

(a) the details of the pay phones allotted to the applicants belonging to the Scheduled Tribe category under the Manned Payphone Franchise Scheme in Bihar during each of the last two years district-wise, along with the percentage; and

(b) the details of the criterion and priority accorded to Scheduled Tribe applicants in the allotment of Payphones?

THE DEPUTY MINISTER IN THE MINISTRY OF COMMUNICATIONS (SHRI P.V. RANGAYYA NAIDU): (a) and (b). The information is being collected and will be laid on the Table of the House.

[Translations]

### **Quality of Food Provided in IA Flights**

4094. SHRI SURAJ MANDAL: Will the Minister of CIVIL AVIATION AND TOURISM be pleased to state:

(a) whether the food served by Indian Airlines in its planes bound for Delhi, Patna Ranchi, Calcutta is of inferior quality;

(b) if so, the reasons therefor; and

(c) the steps being taken to improve its quality?

THE MINISTER OF CIVIL AVIATION AND TOURISM (SHRI MADHAVRAO SCINDIA) (a) No, Sir.

(b) does not arise.

(c) The following steps are taken by Indian Airlines to ensure the quality of food on its flights:-

- (i) Pre-flight quality checks and periodical inspection of catering establishments are undertaken by qualified catering staff of ensure quality control;
- (ii) Periodical inspection of caterers' establishments units by medical officers of Indian Airlines is done to ensure maintenance of proper hygienic conditions in the areas where food is prepared stored, preset and loaded;
- (iii) Punitive action is taken against the caterers whenever deficiencies are noticed.

[English]

### **Tehri Hydro Electric Project**

4095. DR. SUDHIR RAY: Will the Minister of POWER AND NON-CONVENTIONAL ENERGY SOURCES be pleased to state:

(a) whether an increase in the cost of the construction of Tehri Hydro-electric Power Project has been estimated;

(b) if so whether the estimated cost of this project was 3,804 crore rupees and it is now likely to go up to 5058 crore rupees;

(c) if so, the percentage of the work completed by the December, 1991; and