

2.	Construction of residence of Superintendent of Police, Garrage and Guard Room at Hamirpur and Police station at Nadaun.	31.8.87	0.38 ha.
3.	Construction of Thein dam	8.9.87	210.00
4.	Construction of Balh Valley medium Irrigation canal	20.10.87	1.92 ha.
5.	Construction of Khawara Choki Thalagdhar road in Tara Devi Range.	21.10.87	2.10 ha
6.	Construction of 400 KV Tr. Line connecting Chamera Hydro electric projects Stage I and Stage II.	12.10.87	90.74
7.	Lease of forest land for running furniture shop in district Kulu	4.12.87	0.135
8.	Construction of building and tower at Deoga for repeater station in Chamba district.	15.2.88	1 bigha. and 11 biswas.

**External Financial Assistance
to Railway Finance
Corporation**

2447. SHRI MULLAPPALLY RAMACHANDRAN : Will the Minister of RAILWAYS be pleased to state :

(a) the total allocation made to the Railway Finance Corporation from the loan secured by India from the Export-Import Bank of Japan;

(b) which are the schemes/projects for which such allocation is proposed to be utilised;

(c) whether any portion of the loan or any portion of assistance from the Asian Development Bank is proposed to be used for modernisation schemes in Southern Railway; and

(d) if so, the details thereof ?

**THE MINISTER OF STATE OF THE
MINISTRY OF RAILWAYS (SHRI
MADHAVRAO SCINDIA) :** (a) It has been

agreed that Indian Railway Finance Corporation shall borrow upto US \$ 110 m. in Japanese Yen from the Export Import Bank of Japan.

(b) The proposed loan will be utilised for procurement of Electric Passenger Locomotives of 6000 Horse Power with three-phase AC asynchronous motors together with transfer of technology for the manufacture of such locomotives in India and upgrading of Railway facilities and equipment.

(c) No, Sir.

(d) Does not arise.

**Acquisition of Cellular Vessels from
a West German Shipyard**

2448. SHRI V. SREENIVASA PRASAD : Will the Minister of SURFACE TRANSPORT be pleased to state :

(a) whether the Shipping Corporation of India has not yet received the cellular vessels of about 1500 TEUs for which a