

(ब) यदि इस बीच इस सम्बन्ध में कोई प्रगति नहीं हुई है तो उसका क्या कारण है ; और

(क) कब तक नई दिल्ली की सब सड़कों के भारतीय नाम प्रचलित हो जाने की आशा की जाती है ?

स्वास्थ्य मंत्री (श्री करमरकर) :

(क) जी, नहीं ।

(ख) यह प्रश्न नहीं उठता ।

(ग) से (क). नई दिल्ली नगरपालिका ने बताया है कि इस समय ऐसा कोई प्रस्ताव उनके विचाराधीन नहीं है ।

Terminal Building at Jorhat Aerodrome

1958. Shri P. C. Borooah: Will the Minister of Transport and Communications be pleased to state:

(a) whether there is any scheme to reconstruct the Terminal Station Building at the Airport at Jorhat in Assam;

(b) if so, the cost involved, and

(c) when the work is going to be started?

The Deputy Minister of Civil Aviation (Shri Mohiuddin): (a) Yes, Sir

(b) Rs. 1.38 lakhs

(c) The work on the construction of the Terminal Station Building will be started as soon as the land required for the purpose has been released by the Indian Air Force. The land is expected to be released shortly

Family Planning

1959. Shri Kumbhar: Will the Minister of Health be pleased to refer to the reply given to Starred Question No. 426 on the 1st December, 1958, and state the amount given for family planning to Orissa State so far by the Centre?

The Minister of Health (Shri Karmarkar): The amount sanctioned

for family planning to Orissa State by the Government of India since 1954-55 is Rs. 1,17,772.

The above amount includes the allocation for Orissa State for implementing the Family Planning Programme during 1958-59 of Rs. 77,000. 1/12th of this amount is released to the State Government every month as lump-sum ways and means advance.

Hirakud Dam

1960. Dr. Samantsinhar: Will the Minister of Irrigation and Power be pleased to state:

(a) the maximum storage capacity of the Hirakud Reservoir and the volume of water stored this year during the rains;

(b) volume of water required annually for working the electric power plant; and

(c) the average quantity of water evaporating annually?

The Deputy Minister of Irrigation and Power (Shri Hathi): (a) The storage capacity of the Hirakud Reservoir is 360 million acre feet. The reservoir was filled to capacity i.e. 660 million acre feet water has been stored this year.

(b) The annual water utilisation for production of power at Power House No 1 is 748 million acre feet as per the working table prepared in 1953. This includes the water utilised directly from the inflow in the river during the monsoon and non-monsoon periods besides draw-off from storage.

(c) The average annual loss due to evaporation from the reservoir is estimated at 0.590 million acre feet

पूर्वांतर रेलवे में चोरिया

१९६१. स्वामी रामानन्द शास्त्री :
क्या रेलवे मंत्री यह बताने की कृपा करेंगे कि :

(क) पूर्वांतर रेलवे में रेलवे सुरक्षा बल का संगठन कब हुआ था ; और