Chambal Project and Kosi Project. We circulate this list to about 130 Government organisations.

Pandit D. N. Tiwary: May I, know whether the Government has ascertained previously if this machinery that has been disposed of will be required in other projects or not? If they were required why the sale was done?

Shri Hathi: As I said, the procedure is that whenever a machinery becomes surplus in a particular project, it is being transferred to another project where it is required. Again, when it becomes surplus there it is transferred to another project provided it is serviceable.

Shri Ram Krishan Gupta: May I know whether all the surplus machineries have been disposed of or some of it is still lying?

Shri Hathi: All has not been disposed of. Some is still lying there.

Mr. Speaker: Then he will ask the question, "What is the price?"

Shri Hathi: Rs. 44 lakhs.

Collision of Oil Tankers at Bombay

•1997. Shri Ram Krishan Gupta:
Shrimati Mafida Ahmed:

Will the Minister of Transport and Communications be pleased to state:

- (a) whether it is a fact that two oil tankers were involved in a collision in the Bombay Harbour on the 20th December, 1958; and
- (b) if so, the nature of the loss suffered and damage done?

The Minister of State in the Ministry of Transport and Communications (Shri Raj Bahadur): (a) Yes, Sir.

(b) The S.S. "Stanyac Calcutta" sustained slight damage to her stem and shell plating. The M.S. "Etnefjell" sustained considerable damage to her bridge accommodation, life boat and hull plating. There was no loss of life, but the 3rd Officer on "Etnefjell" received slight injuries in the lag from the splinters.

Shri Ram Krishan Gupta: May I know whether the cause of this collision has been ascertained?

Shri Raj Bahadur: The Deputy Conservator, Bombay Port Trust, conducted a preliminary enquiry and has come to certain conclusions. The cause of the accident has been attributed to some pilot errors.

Shrimati Reau Chakravarity: I could not quite catch as to which were the two tankers I want to know whether one of them was the Western Shipping Corporation tanker or was it a private one, owned by the oil companies.

Shri Raj Bahadur: None of them was the Western Shipping Corporation tanker. The "Stanvac Calcutta" was under the Panamian flag and the other was under the Norwegian flag.

Shrimati Mafida Ahmed; May I know whether the tanker "Stanvac Calcutta" was loaded with crude oil or with refined products?

Shri Raj Bahadur: SS "Stanvac Calcutta" had discharged its cargo and was moving out to sea.

इरविन हस्पताल, नई विल्ली

- *१६६८ नी नवल प्रभाकर: क्या स्वास्थ्य मंत्री यह बताने की कृपा करेंगे कि .
- (क) क्या दिल्ली के इरविन हस्पताल में बिस्तरों की संख्या बढ़ाने के लिये कोई कार्यवाही की गई हैं,
- (स) यदि हां, तो वर्ष १६५८-५६ में बिस्तरों की संस्था में कितनी वृद्धि की गई; भीर
- (ग) वर्ष १९५९ ६० में बिस्तरों की संख्या कितनी बढाई जायेगी ?

स्वास्थ्य मंत्री (भी करमरकर) . (क) से (ग). इस मस्पताल का विस्तार उसकी पूरी क्षमता तक कर दिया गया है भीर उसका मिक विस्तार करना सम्भव नही है । वर्ष १९४८-५६ में विस्तरों की संख्या में १३७ की वृद्धि की गई।

Mr. Speaker: They want English version also.

Shri Karmarkar: (a) to (c). The hospital has been expanded to its full capacity and further extension is not feasible. The bed strength was increased by 137 during 1958-59.

बी नवल प्रभाकर: क्या माननीय मंत्री यह बतलाने की कृपा करेंगे कि ग्रभी भी इविन शस्पताल के बरामदों में मरीओं को रक्का जा रहा है ?

भी करमरकर . जी हा उस प्रस्पताल की टोटल कैपेसिटी १००३ पेशेंट्म की है लेकिन मरीज वहां उससे ज्यादा ग्रा जाते है भीर जूकि उनको वापिस भेज देना मुनासिब नहीं समझा जाता है इसलिये ११०० मरीजो तक को वहां पर रक्खा जाता है।

श्री नवल प्रभाकर . क्या मैं जान सकता हूं कि इस कभी को देखते हुए इस अस्पताल के पास ही कोई और नया अस्पताल बनाने की मोजना है ?

श्री करभरकर . इस सम्बन्ध में दिल्नी ऐडमिनिस्ट्रेशन की कुछ स्कीम्स है जिनके कि मातहत ग्रस्पतालों की संख्या बढ़ाई जायेगी।

भी नवल प्रभाकर में ने तो यह पूछा है कि इंक्ति प्रस्पताल के पास ही में क्या कोई इस तरीके का प्रस्पताल बनाने की या किसी भीर ग्रस्पताल में ग्रधिक विस्तार करने की कोई सम्माबना है?

शी करमरकर . इस श्रस्पताल का भीर श्रिषक विस्तार करना सम्भव नही हैं क्योंकि वहां भीर श्रिषक जगह नहीं हैं शीर उसकी पूरी कैपेसिटी तक उसका विस्तार कर दिया गया है। भव जहां तक उस श्रस्पताल के नजदीक कोई दूसरा श्रस्पताल बनाने का सवाल हैं मुझे पता नहीं कि उनकी स्कीम में हैं या नहीं बहरहाल इस इत्तिला को मैं मंगार्जना। Shri D. C. Sharma: In view of the fact that the hospital has now the optimum number of beds, may I know if the shortage of nurses, the shortage of qualified medical personnel and also the shortage of medical equipment—all these shortages—have also been made good in view of the expansion of the hospital? If so, in what way?

Shri Karmarkar: About equipment there was no difficulty. About nurses, there was shortage. About personnel, sometimes a shortage is also felt. But in spite of that we make the best possible attempts to make up for the shortage. This hospital is trying its best to make up for the shortage.

भी भक्त बर्मन : श्रीमन्, क्या माननीय मंत्री के ध्यान में यह बात ग्राई है कि इंडिन प्रस्पताल केवल दिल्ली की जनता के लिए ही नही है बल्कि दूर-दूर से भी मरीज यहां ग्राकर के इस प्रस्पताल में प्रपना इलाज कराने का प्रयत्न करते हैं ग्रीर इसलिये इस प्रस्पताल में जो चारपाइयों की संख्या धीरे-धीरे वढाई जा रही है उसकी गति में तेजी क्यों नहीं लाई जाती है ?

श्री करसरकर : यह तो ठीक है कि इस ग्रस्पताल में बिस्तरों की संख्या में धीमी गति से वृद्धि की जा रही है । माननीय सदस्य ने ठीक ही कहा है कि इस ग्रस्पताल में केवल दिल्ली से ही नहो बल्कि बाहर के स्थानो से भी मरीज ग्राते है और दिल्ली ऐडिमिनिस्ट्रेशन ग्रीर कारपोरेशन इस बात की कोशिण कर रहे है कि ग्रम्पतालो की संख्या ग्रीर विस्तरो की संख्या में कोई बडहोत्री की जाय।

Shri Dige: May I know whether it is a fact that many poor class patients are refused admission for want of accommodation?

Shri Karmarkar: It is just possible that when all the beds are full, if there comes up some other patient, admission is refused. But then emergency cases are always looked after with a sense of priority.