

(e) the actions taken against the officers responsible for such construction and closing resulting in wasteful expenditure ?

THE MINISTER OF RAILWAYS (SHRI HANUMANTHAIYA) : (a) Yes.

(b) Rs. 1020 ; 340 man-days.

(c) No.

(d) and (e). Do not arise.

Yard at Chunar

7378. SHRI AZIZ IMAM : Will the Minister of RAILWAYS be pleased to state :

(a) whether there is a yard constructed at Chunar ;

(b) whether this yard has been rendered useless now-a-days and the officer who has saved the maintenance expenditure on it awarded ;

(c) whether there has been any objection by the Government Audit in connection with Chunar Yard construction ; if so, what ; and

(d) whether the officers who got this yard of Chunar planned and constructed, have been found guilty of defective planning and wasteful expenditure and if so, the action proposed or taken against them ?

THE MINISTER OF RAILWAYS (SHRI HANUMANTHAIYA) : (a) to (d). The information is being collected and will be laid on the table of the House.

Expenditure on Construction of Juhi Yard

7379. SHRI AZIZ IMAM : Will the Minister of RAILWAYS be pleased to state :

(a) whether there is a yard recently constructed in Juhi at a cost of about Rs. 28 lakhs with a further expenditure for its maintenance ;

(b) whether initially a sum of Rs. 23 lakhs was got sanctioned for the

construction of this yard and Rs. 5 lakhs through additional demand ;

(c) whether there has been any objection by the Government Audit against this construction recently ; if so, what ;

(d) if so, the action taken or proposed to be taken against the responsible officers ; and

(e) the steps being taken to avoid such wasteful expenditure in future ?

THE MINISTER OF RAILWAYS (SHRI HANUMANTHAIYA) : (a) to (e). The information is being collected and will be laid on the table of the House.

मध्य प्रदेश में बिजली की आवश्यकता

7380. श्री गंगा चरण दीक्षित : क्या सिंचाई और विद्युत मंत्री यह बराने की कृपा करेंगे कि :

(क) क्या मध्य प्रदेश में बिजली की आवश्यकता के बारे में हाल में कोई अनुमान लगाया गया है ;

(ख) यदि हां, तो उसका ब्यौरा क्या है ;

(ग) चौथी पंचवर्षीय योजना में कितनी बिजली की आवश्यकता होगी और कितनी बिजली सप्लाई किये जाने की सम्भावना है ; और

(घ) क्या मांग और सप्लाई में कोई अन्तर है और यदि हां, तो कमी को पूरा करने के लिए क्या कार्यवाही करने का प्रस्ताव है ।

सिंचाई और विद्युत मंत्रालय में उपमंत्री (श्री बैजनाथ कुरील) : (क) जी, हां । मध्य प्रदेश में विद्युत की आवश्यकताओं का पुनरवलोकन, राज्य अधिकारियों के साथ सलाह करके, हाल ही में किया गया है ।