

**GOVERNMENT OF INDIA  
MINISTRY OF RAILWAYS**

**LOK SABHA  
UNSTARRED QUESTION NO. 325  
TO BE ANSWERED ON 24.07.2024**

**PASSENGER AND FREIGHT TRAIN ACCIDENTS**

**325. SHRI BENNY BEHANAN:**

**Will the Minister of RAILWAYS be pleased to state:**

- (a) whether it is a fact that rail accidents involving both passenger and freight trains are rising in the country and if so, the main causes identified for these increasing rail accidents;**
- (b) the measures taken/being taken by the Government to provide financial assistance to the families of those who lost their lives in these accidents;**
- (c) the steps taken or being taken by the Government to identify and implement solutions to prevent such rail accidents in the future;**
- (d) whether the Government recently conducted any studies or investigations for the safety of the rail network and if so, details of the findings and recommendations; and**
- (e) the details of Government plan to upgrade rail infrastructure and to ensure the safety of passengers and goods?**

**ANSWER**

**MINISTER OF RAILWAYS, INFORMATION & BROADCASTING AND  
ELECTRONICS & INFORMATION TECHNOLOGY**

**(SHRI ASHWINI VAISHNAW)**

**(a) to (e): A Statement is laid on the Table of the House.**


**\*\*\*\*\***

**STATEMENT REFERRED TO IN REPLY TO PARTS (a) TO (e) OF UNSTARRED QUESTION NO 325 BY SHRI BENNY BEHANAN TO BE ANSWERED IN LOK SABHA ON 24.07.2024 REGARDING PASSENGER AND FREIGHT TRAIN ACCIDENTS**

**(a) to (e): As a consequence of various safety measures taken over the years, there has been a steep decline in the number of accidents. Consequential Train Accidents have reduced from 473 in 2000-01 to 40 in 2023-24 as shown in the graph below.**

**It may noted that the consequential train accidents during the period 2004-14 was 1711 (average 171 per annum), which has declined to 678 during the period 2014-24 (average 68 per annum).**

**Another important index showing improved safety in train operations is Accidents Per Million Train Kilometer (APMTKM) which has reduced from 0.65 in 2000-01 to 0.03 in 2023-24, indicating an improvement of more than 95% during the said period.**



**Safety is accorded the highest priority on Indian Railways. The various safety measures taken to enhance safety in train operations are as under:-**

**1. Rashtriya Rail Sanraksha Kosh (RRSK) has been introduced in 2017-18 for replacement/renewal/upgradation of critical safety assets, with a corpus of Rs 1 lakh crores for five years i.e. till 2021-22. In 2022-23, the Govt. extended the currency of RRSK for another period of five years with Gross Budgetary Support (GBS) of Rs 45,000 crores.**

<b>Period</b>	<b>Allocation in RRSK (Rs in Cr)</b>	<b>Expenditure in RRSK (Rs in cr)</b>	<b>Remarks</b>
<b>2017-18 to 2021-22</b>	<b>1,00,000</b>	<b>1,08,743</b>	
<b>2022-23 to 2026-27</b>	<b>45,000</b>	<b>26,702 (Till 2023-24)</b>	<b>RRSK extended for another five years</b>

**Total expenditure on safety works**

<b>Period</b>	<b>Expenditure on safety works (Rs in cr)</b>
<b>2004-05 to 2013-14</b>	<b>70,273</b>
<b>2014-15 to 2023-24</b>	<b>1,77,332 ( 2.52 times)</b>

- 2. Electrical/Electronic Interlocking Systems with centralized operation of points and signals have been provided at 6,589 stations up to 30.06.2024 to eliminate accident due to human failure.**
- 3. Interlocking of Level Crossing (LC) Gates has been provided at 11,048 level Crossing Gates up to 30.06.2024 for enhancing safety at LC gates.**

- 4. Complete Track Circuiting of stations to enhance safety by verification of track occupancy by electrical means has been provided at 6,609 stations up to 30.06.2024.**
- 5. Kavach is a highly technology intensive system, which requires safety certification of highest order. Kavach was adopted as a National ATP system in July 2020. Kavach has so far been deployed on 1465 Route km and 144 locomotives (including Electric Multiple Unit rakes) on South Central Railway. Kavach is provided progressively in phased manner.**
- 6. Axle counters for Automatic clearance of Block Section, BPAC (Block Proving Axle Counter) are provided to ensure complete arrival of train without manual intervention before granting line clear to receive next train and to reduce human element. These systems have been provided on 6079 Block Sections upto 30.06.2024.**
- 7. A project for provision of Long Term Evolution (LTE) based Mobile Train Radio Communication system has been approved for 34,803 Rkms over Indian Railways.**
- 8. The project for provision of Tunnel Communication has been taken up in various zonal Railways.**
- 9. Emergency talk-back system and Emergency Alarm Systems have been provided in Vande Bharat Train sets.**
- 10. CCTVs have been provided in all Vande Bharat Express coaches. Till date more than 9572 coaches are equipped with CCTV.**
- 11. Detailed instructions on issues related with safety of Signalling e.g. mandatory correspondence check, alteration work protocol, preparation of completion drawing, etc. have been issued.**

- 12. System of disconnection and reconnection for S&T equipment as per protocol has been re-emphasized.**
- 13. All locomotives are equipped with Vigilance Control Devices (VCD) to improve alertness of Loco Pilots.**
- 14. Retro-reflective sigma boards are provided on the mast which is located two OHE masts prior to the signals in electrified territories to alert the crew about the signal ahead when visibility is low due to foggy weather.**
- 15. A GPS based Fog Safety Device (FSD) is provided to loco pilots in fog affected areas which enables loco pilots to know the distance of the approaching landmarks like signals, level crossing gates etc.**
- 16. Modern track structure consisting of 60kg, 90 Ultimate Tensile Strength (UTS) rails, Prestressed Concrete Sleeper (PSC) Normal/Wide base sleepers with elastic fastening, fanshaped layout turnout on PSC sleepers, Steel Channel/H-beam Sleepers on girder bridges is used while carrying out primary track renewals.**
- 17. Mechanisation of track laying activity through use of track machines like PQRS, TRT, T-28 etc to reduce human errors.**
- 18. Maximizing supply of 130m/260m long rail panels for increasing progress of rail renewal and avoiding welding of joints, thereby improving safety.**
- 19. Ultrasonic Flaw Detection (USFD) testing of rails to detect flaws and timely removal of defective rails.**
- 20. Laying of longer rails, minimizing the use of Alumino Thermic Welding and adoption of better welding technology for rails i.e. Flash Butt Welding.**

- 21. Monitoring of track geometry by OMS (Oscillation Monitoring System) and TRC (Track Recording Cars).**
- 22. Patrolling of railway tracks to look out for weld/rail fractures.**
- 23. The use of Thick Web Switches and Weldable CMS Crossing in turnout renewal works.**
- 24. Inspections at regular intervals are carried out to monitor and educate staff for observance of safe practices.**
- 25. Web based online monitoring system of track assets viz. Track database and decision support system has been adopted to decide rationalized maintenance requirement and optimize inputs.**
- 26. Detailed instructions on issues related with safety of Track e.g. integrated block, corridor block, worksite safety, monsoon precautions etc. have been issued.**
- 27. Preventive maintenance of railway assets (Coaches & Wagons) is undertaken to ensure safe train operations.**
- 28. Replacement of conventional ICF design coaches with LHB design coaches is being done.**
- 29. All unmanned level crossings (UMLCs) on Broad Gauge (BG) route have been eliminated by January 2019.**
- 30. Safety of Railway Bridges is ensured through regular inspection of Bridges. The requirement of repair/rehabilitation of Bridges is taken up based upon the conditions assessed during these inspections.**
- 31. Indian Railways has displayed Statutory “Fire Notices” for widespread passenger information in all coaches. Fire posters are provided in every coach so as to educate and alert passengers regarding various Do’s and Don’ts to prevent fire.**

These include messages regarding not carrying any inflammable material, explosives, prohibition of smoking inside the coaches, penalties etc.

**32. Production Units are providing Fire detection and suppression system in newly manufactured Power Cars and Pantry Cars, Fire and Smoke detection system in newly manufactured coaches. Progressive fitment of the same in existing coaches is also underway by Zonal Railways in a phased manner.**

**33. Regular counselling and training of staff is undertaken.**

**34. Concept of Rolling Block introduced in Indian Railways (Open Lines) General Rules vide Gazette notification dated 30.11.2023, wherein work of integrated maintenance/ repair/ replacement of assets is planned up to 52 weeks in advance on rolling basis and executed as per plan.**

**The details of the Safety related works undertaken by Railways are tabulated below:**

<b>SN</b>	<b>Item</b>	<b>2004-05 to 2013-14</b>	<b>2014-15 to 2023-24</b>	<b>2014-24 vs 2004- 14</b>
	<b>Track Maintenance</b>			
<b>1.</b>	<b>Expenditure on Track Renewal (Rs. in Cr.)</b>	<b>47,018</b>	<b>1,09,659</b>	<b>2.33 times</b>
<b>2.</b>	<b>Rail Renewal Primary (Track Km)</b>	<b>32,260</b>	<b>43,335</b>	<b>1.34 times</b>
<b>3.</b>	<b>Use of high-quality rails (60 Kg) (Km)</b>	<b>57,450</b>	<b>1,23,717</b>	<b>2.15 times</b>
<b>4.</b>	<b>Longer Rail Panels (260m) (Km)</b>	<b>9,917</b>	<b>68,233</b>	<b>6.88 times</b>
<b>5.</b>	<b>USFD (Ultra Sonic Flaw detection) Testing of Rails (Track km)</b>	<b>20,19,630</b>	<b>26,52,291</b>	<b>1.31 times</b>
<b>6.</b>	<b>USFD (Ultra Sonic Flaw detection) Testing of Welds (Nos.)</b>	<b>79,43,940</b>	<b>1,73,06,046</b>	<b>2.17 times</b>
<b>7.</b>	<b>New Track KM added (Track km)</b>	<b>14,985</b>	<b>31,180</b>	<b>2.08 times</b>
<b>8.</b>	<b>Weld failures (Nos.)</b>	<b>In 2013-14: 3699</b>	<b>In 2023-24: 481</b>	<b>87% reduction</b>

<b>9.</b>	<b>Rail fractures (Nos.)</b>	<b>In 2013-14: 2548</b>	<b>In 2023-24: 383</b>	<b>85% reduction</b>
<b>10</b>	<b>Thick Web Switches (Nos.)</b>	<b>Nil</b>	<b>21,127</b>	
<b>11</b>	<b>Track Machines (Nos.)</b>	<b>As on 31.03.14 = 748</b>	<b>As on 31.03.24 = 1,661</b>	<b>122% increase</b>
<b>Level Crossing Gate Elimination</b>				
<b>1.</b>	<b>Elimination of Unmanned Level Crossing Gates (Nos.)</b>	<b>As on 31.03.14: 8948</b>	<b>As on 31.03.24: Nil (All eliminated by 31.01.19)</b>	<b>100% reduction</b>
<b>2.</b>	<b>Elimination of Manned Level Crossing Gates (Nos.)</b>	<b>1,137</b>	<b>7,075</b>	<b>6.21 Times</b>
<b>3.</b>	<b>Road over Bridges (RoBs)/ Road under Bridges (RUBs) (Nos.)</b>	<b>4,148</b>	<b>11,945</b>	<b>2.88 Times</b>
<b>4.</b>	<b>Expenditure on LC Elimination</b>	<b>5,726</b>	<b>36,699</b>	<b>6.40 times</b>
<b>Bridge Rehabilitation</b>				
<b>1.</b>	<b>Expenditure on Bridge Rehabilitation (Rs. in Cr.)</b>	<b>3,919</b>	<b>8,008</b>	<b>2 Times</b>
<b>Signalling Works</b>				
<b>1.</b>	<b>Electronic Interlocking (Stations)</b>	<b>837</b>	<b>2,964</b>	<b>3.52 times</b>
<b>2.</b>	<b>Automatic Block Signaling (Km)</b>	<b>1,486</b>	<b>2,497</b>	<b>1.67 times</b>
<b>3.</b>	<b>Fog Pass Safety Devices (Nos.)</b>	<b>As on 31.03.14: 90</b>	<b>As on 31.03.24: 19,742</b>	<b>219 times</b>
<b>Rolling Stock</b>				
<b>1.</b>	<b>Manufacture of LHB Coaches (Nos.)</b>	<b>2,337</b>	<b>36,933</b>	<b>15.80 times</b>
<b>2.</b>	<b>Provision of Fire and Smoke Detection System in AC coaches (Nos. of Coaches)</b>	<b>0</b>	<b>19,271</b>	
<b>3.</b>	<b>Provision of Fire Detection and Suppression System in Pantry and Power Cars (Nos. of Coaches)</b>	<b>0</b>	<b>2,991</b>	
<b>4.</b>	<b>Provision of Fire Extinguishers in Non-AC coaches (Nos. of Coaches)</b>	<b>0</b>	<b>66,840</b>	



<b>Budget allocation</b>				
<b>1</b>	<b>Gross Budgetary Support for Railway Investment (Rs. in Cr.)</b>	<b>1,56,739</b>	<b>8,25,967</b>	<b>5.3 times</b>
<b>2</b>	<b>Expenditure on safety related works (Rs. in Cr.)</b>	<b>70,273</b>	<b>1,77,332</b>	<b>2.52 times</b>

**Further, the recommendations of the Commissioner of Railway Safety which is an independent statutory body and the Departmental Inquiry Committees are examined and appropriate action is taken by the Railway Administration.**

**Following financial assistance is provided to the families of deceased who loses their lives in train accident:-**

- (i) Ex-gratia: As per extant rule, Ex-gratia relief of Rs. 5 lakh is paid to the next of kin of deceased in train accidents as defined under Section 124 of the Railway Act, 1989. An enhanced Ex-gratia relief is paid as and when decided by the Government.**
- (ii) Compensation: Compensation for death of railway passengers in train accidents as defined in Section 124 of the Railway Act, 1989 is decided by Railways Claims Tribunal (RCT) on the basis of the claim application filed before RCT. Railway Administration pays compensation amount of Rs.08 Lakh to next of kin of deceased rail passengers when a decree is awarded by Hon'ble RCT in favour of the claimant.**

**\*\*\*\*\***