

STATEMENT

Schemes for which DPR have been received and are under examination in Central Electricity Authority

State/Scheme	Capacity (MW)
1	2
Himachal Pradesh	
1. Karcham Wangtoo HEP	1000
2. Malana Hep	86
Jammu & Kashmir	
3. New Ganderbal HEP	45
4. Parkhachik Panikhar St. I & II HEP	60
5. Uri HEP St. II	240
Uttar Pradesh	
6. Vishnuprayag HEP	400
7. Srinagar HEP	330
8. Rosa TPP (Ph. I)	500
Haryana	
9. Yamunanagar TPS	700
Gujarat	
10. Jamnagar TPP PK. I	500
11. Surat Lignite TPP	250
12. Ghoga Lignite TPS	240
13. Pipavav GTPP	615
14. Coastal TPS	1000
Madhya Pradesh	
15. Korba (West) TPP Ex.	420
16. Korba (East) TPS	1050
Maharashtra	
17. Patalganga CCPP	410
18. Chikaldera HEP	400
19. Uran GTPP Expn.	400
Andhra Pradesh	
20. Vizag TPS	1040
21. Ramagundam Extn.	520
22. Simhadri TPS	1000
23. Hyderabad Metro CCGT St. I	650
Karnataka	
24. Yelahanka DGPP Extn.	46.8
Bihar	
25. Maithon R/B TPS	1000
26. Mejia TPS II	420

1	2
Orissa	
27. Sindol HEP	320
28. Duburi TPP	500
29. Talcher STPS-II	2000

Kandla-Bhatinda Pipeline Project

*206. SHRI SHANTILAL PARSOTAMD PATEL : Will the PRIME MINISTER be pleased to state :

(a) the latest position of Kandla-Bhatinda Pipeline Projects;

(b) the reasons for the slow progress in the execution of the project;

(c) the expenditure incurred so far; and

(d) by when the work is likely to be completed ?

THE MINISTER OF STATE IN THE MINISTRY OF PETROLEUM AND NATURAL GAS (SHRI T.R. BAALU): (a) Kandla-Bhatinda Pipeline was commissioned in phases from December, 1995 to June, 1996 and the entire Pipeline from Kandla to Bhatinda is in operation.

(b) The reasons for the slow progress in execution of the Projects are, slow progress in detailed design and engineering, delay in procurement of materials, delay in mobilisation and slow progress of main-line and station construction, delay in mobilisation and execution of Perennial Canal Crossings (Horizontal Directional Drilling) and slow progress in Telecommunication, Telesupervisory (Supervisory Control and Data Acquisition System - SCADA), Instrumentation works etc.

(c) An expenditure of Rs. 1872.13 crores is incurred on this project upto 30th June, 1996.

(d) The balance work is expected to be completed by Sept' 96.

[Translation]

Drinking Water in Delhi

*207. SHRI JAI PRAKASH AGARWAL : Will the Minister of RURAL AREAS AND EMPLOYMENT be pleased to state :

(a) whether potable drinking water is not available in various villages of National Capital Territory of Delhi;

(b) if so, the details thereof alongwith the reasons therefor;

(c) the details of remedial steps taken in this regard alongwith the likely time by which the potable drinking water will be made available in these villages of Delhi;